



























INSTALLATION MANUAL
SKID PLATE FOR TRANSMISSION CASE AND BATTERY



HYUNDAI Kona Electric 204 PS (150 KW / 201 HP) CVT FWD **2018 -** 





G				1X			
H		4X	I		4X		
J		5X	K		5X		
L		2X	M		M8x20	6X	
N		9X	O		M8x40	5X	
P		Ø6	4X	Q		M10x30	2X
R		Ø8	4X	S		M10x20	4X
T		Ø10	6X	U		M6	4X
				4/5			

INSTALLATION:

Engine bay and transmission elements skid plate has been designed particularly for a certain vehicle. It should be mounted according to the producer's installation instruction by a dedicated dealer or on certified service stations. The skid plate is fixed to regular apertures located on vehicle's body load-bearing elements. In case of correct installation the skid plate should not interfere with any vehicle's units and components.

OPERATING CONDITIONS:

Engine bay and transmission elements skid plate has been designed to operate in conditions specified by vehicle's producer. Cases of crush or driving into obstacles at a speed should be excluded during exploitation. In case of head-on crush it is necessary to assure in absence of damages of vehicle's components and units and availability of roadworthiness on certified service stations.

ENVIRONMENTAL PROTECTION

Dispose of packaging properly. It is recommended to take it for recycling. Don't forget about environmental protection.

